

CATALOG BIKES 2017 devinci

devinci

1555 DE LA MANIC
CHICOUTIMI, QUÉBEC | CANADA
G7K 1G8
1.888.DEVINCI
WWW.DEVINCI.COM



TABLE OF CONTENTS

OPEN ROAD **2**

HATCHET CARBON | HATCHET

DOWNHILL **10**

WILSON CARBON | WILSON

ENDURO **18**

SPARTAN CARBON | SPARTAN

ALL MOUNTAIN **26**

TROY CARBON | TROY

devinci

TRAIL **36**

DJANGO CARBON | DJANGO

TRAIL TRACTION **52**

MARSHALL CARBON | MARSHALL

SNOW BIKE **60**

MINUS

TRACTION **64**

KOBAIN

E-BIKE **70**

E-GRIFFIN

GEOMETRY **71**



- OPEN ROAD -

THE OPEN ROAD

HATCHET

OPEN ROAD

CYCLOCROSS

GRAN FONDO

ROAD RACE

TRIATHLON

Individualism is a cornerstone of ingenuity. And the Hatchet is a breed of its own, engineered to push tradition with an adventure-driven DNA. From open-throttle on the open road to rugged, unpaved pursuits, the Hatchet delivers a mix of power and finesse meets gravel-tested attributes—at a price that can't be beat. Object-of-desire aesthetics and high-end features include Devinci's advanced aluminum frame tech, lightweight carbon forks, sleek internal cable routing, disc brakes, a tapered head tube, rear-rack compatibility, and versatile tire options (up to 40c).

OPEN ROAD

HATCHET CARBON ULTEGRA DI2

FRAME AND FORK
CARBON DMC-R HR / CARBON SUPER LEGGERA

TRANSMISSION
SHIMANO ULTEGRA 6870 11S DI2

CRANKSET
SHIMANO ULTEGRA 6800 HOLLOWGLIDE 50/34T

WHEELS
MAVIC KSYRIUM ELITE ALLROAD DISC

TIRES
MAXXIS REFUSE 700X40C MAXX SHIELD TR

BRAKES
SHIMANO RS785 LEVER RS805 CALIPER FLAT MOUNT

CASSETTE
SHIMANO ULTEGRA 11S 11-32T

SADDLE
FIZIK ALIANTE R5

SEATPOST
SEAT POST V2 ELITE CARBON 272MM DI2

HANDLEBAR
FSA ADVENTURE 12 DEGREE FLARE

STEM
FSA GOSSAMER 31.8MM

GLOSS | CARBON, RED, SILVER



HATCHET CARBON ULTEGRA^{OPEN ROAD}



MATTE | CARBON, BLUE, CHARCOAL

FRAME AND FORK	CARBON DMC-R HR CARBON SUPER LEGGERA	SADDLE	FIZIK ALIANTE R5
TRANSMISSION	SHIMANO ULTEGRA 6800 11S	SEATPOST	SEAT POST V2 ELITE CARBON 27.2MM
CRANKSET	SHIMANO ULTEGRA 6800 HOLLOWGLIDE 50/34T	HANDLEBAR	FSA ADVENTURE 12 DEGREE FLARE
WHEELS	MAVIC AKSIUM DISC ALLROAD	STEM	FSA GOSSAMER 31.8MM
TIRES	MAXXIS REFUSE 700X40C MAXX SHIELD TR		
BRAKES	SHIMANO RS685 LEVER RS805 CALIPER FLAT MOUNT		
CASSETTE	SHIMANO ULTEGRA 11S 11-32T		

OPEN ROAD

HATCHET CARBON 105



GLOSS | CARBON, ORANGE

FRAME AND FORK
CARBON DMC-R HR / CARBON SUPER LEGGERA

TRANSMISSION
SHIMANO 105 5800

CRANKSET
SHIMANO FC-RS500 50/34T

WHEELS
MAVIC AKSIUM DISC ALLROAD

TIRES
MAXXIS REFUSE 700X40C MAXX SHIELD TR

BRAKES
SHIMANO RS505 LEVER RS505
CALIPER FLAT MOUNT

CASSETTE
SHIMANO 105 11S 11-32T

SADDLE
FIZIK ALIANTE R5

SEATPOST
V2 ELITE CARBON 27.2MM

HANDLEBAR
FSA ADVENTURE 12 DEGREE FLARE

STEM
FSA GOSSAMER 31.8MM

OPEN ROAD

HATCHET CARBON RIVAL



GLOSS | CARBON, RED, SILVER

FRAME AND FORK
CARBON DMC-R HR / CARBON SUPER LEGGERA

TRANSMISSION
SRAM RIVAL

CRANKSET
SRAM S350 44T

RIMS AND HUBS
V2 PRO DB / FORMULA DISC 6 BOLTS,
THRU AXLE 12MM

TIRES
MAXXIS REFUSE 700X40C MAXX SHIELD TR

BRAKES
TRP SPYRE W/160MM STAINLESS ROTOR

CASSETTE
SRAM 11S 11-36T

SADDLE
V2 STAGE

SEATPOST
V2 COMP 27.2MM

HANDLEBAR
V2 COMP, ROAD ALLOY 31.8MM 12D

STEM
V2 PRO 31.8MM

OPEN ROAD

HATCHET SX



GLOSS | BLACK, RED, SILVER

FRAME AND FORK	ALUMINUM OPTIMUM R03 / DEVINCI CARBON	TIRES	MAXXIS REFUSE 700X40C MAXX SHIELD TR
SHIFTERS	SHIMANO SORA 3000	CASSETTE	SHIMANO 9S 11-32T
TRANSMISSION	SHIMANO SORA 3000	SADDLE	V2 STAGE
CRANKSET	FSA VERO POWERDRIVE 50/34T	SEATPOST	V2 COMP 27.2MM
BRAKES	TRP SPYRE W/160MM STAINLESS ROTOR	HANDLEBAR	V2 COMP, ROAD ALLOY 31.8MM 12D
RIMS	V2 COMP DB	STEM	V2 PRO 31.8MM
HUBS	FORMULA DISC 6 BOLTS		



OPEN ROAD
HATCHET XP



GLOSS | CHARCOAL, YELLOW

FRAME AND FORK
ALUMINUM OPTIMUM R03 / DEVINCI CARBON

SHIFTER
SHIMANO TIAGRA 4700

TRANSMISSION
SHIMANO TIAGRA 4700

CRANKSET
FSA OMEGA 50/34T

BRAKES
TRP SPYRE W/160MM STAINLESS ROTOR

RIMS AND HUBS
V2 COMP DB / FORMULA DISC 6 BOLTS

TIRES
MAXXIS REFUSE 700X40C MAXX SHIELD TR

CASSETTE
SHIMANO 10S 11-32T

SADDLE
V2 STAGE

SEATPOST
V2 COMP 27.2MM

HANDLEBAR
V2 COMP, ROAD ALLOY 31.8MM 12D

STEM
V2 PRO 31.8MM

OPEN ROAD
HATCHET S



GLOSS | RED, SILVER

FRAME AND FORK
ALUMINUM OPTIMUM R03 / DEVINCI CARBON

SHIFTER
SRAM RIVAL

TRANSMISSION
SRAM RIVAL1

CRANKSET
SRAM S350 44T

BRAKES
TRP SPYRE W/160MM STAINLESS ROTOR

RIMS AND HUBS
V2 PRO DB / FORMULA DISC
SEALED CENTERLOCK

TIRES
MAXXIS REFUSE 700X40C
MAXX SHIELD TR

CASSETTE
SRAM 11S 11-36T

SADDLE
V2 STAGE

SEATPOST
V2 COMP 27.2MM

HANDLEBAR
V2 COMP, ROAD ALLOY 31.8MM 12D

STEM
V2 PRO 31.8MM



- DOWNHILL -

WORLD CUP COMMANDO

WILSON

DOWNHILL

ENDURO

ALL MOUNTAIN

TRAIL

TRAIL TRACTION

With piles of World Cup podiums under its chassis, the Wilson is a weapon to be reckoned with. Commandeered by DGR elites like Steve Smith, Mark Wallace and Brage Vestavik, Devinci's flagship DH ride features an advanced aluminum front triangle synergized with a rear carbon build powered by EPS molded frame tech for lighter, stiffer, stronger performance. Wilson's asymmetrical construction improves torsional stiffness. Hard-charging carbon seat stay bolster pedal power out of the start gate and across the flats. And the ever-agile Split-Pivot suspension system, with new shock positioning that bucks mud and lowers center of gravity, makes easy work of boulder gardens and wickedly steep terrain. Wilson DH. Fierce by nature. A force by design.

DOWNHILL

WILSON CARBON X01 DH



MATTE | CARBON, RED, BLUE

GLOSS | CARBON, SILVER

FRAME	CARBON DMC-G 204MM	FRONT WHEELS	EASTON HAVOC 27.5 20MM AXLE
FORK	ROCKSHOX BOXXER WORLD CUP 27.5 SOLO AIR 200MM	REAR WHEELS	EASTON HAVOC 27.5 12X150MM AXLE
REAR SHOCK	ROCKSHOX VIVID R2C 9.5X3.0	TIRES	MAXXIS HR II 27.5X2.4" 3C, TUBELESS READY, DH CASING
SHIFTER	SRAM X01 DH 7S	CASSETTE	SRAM 7S 10-24T
TRANSMISSION	SRAM X01 DH X-ACTUATION	SADDLE	SDG FLY RL CRMO RAIL
CRANKSET	SRAM X01 36T	HANDLEBAR	CHROMAG BZA 35 800MM
BRAKES	SRAM GUIDE ULTIMATE	CHAINGUIDE	E13 LG1+ WITH TACO BASH

WILSON CARBON GX DH 7S

DOWNHILL



GLOSS | CARBON, SILVER

MATTE | CARBON, RED, BLUE

FRAME
CARBON DMC-G 204MM

FORK
ROCKSHOX BOXXER TEAM 27.5 200MM

REAR SHOCK
ROCKSHOX VIVID R2C 9.5X3.0

SHIFTER
SRAM GX DH 7S

TRANSMISSION
SRAM GX DH 7S

CRANKSET
TRUVATIV DESCENDANT 36T

BRAKES
SRAM GUIDE RS

RIMS
RACEFACE AR30, 30MM INNER

HUBS
DT SWISS 350 TA 20MM | 12X150MM

TIRES
MAXXIS HIGHROLLER II 27.5X2.4" 3C
COMPOUND 2PLY

CASSETTE
SRAM 7S 11-25T

SADDLE
SDG FLY RL

HANDLEBAR
RACE FACE 20MM
RISE 35MM 800MM

CHAINGUIDE
E13 LG1+ WITH TACO BASH

WILSON CARBON GX 10S

DOWNHILL



MATTE | CARBON, RED, BLUE

GLOSS | CARBON, SILVER

FRAME
CARBON DMC-G 204MM

FORK
ROCKSHOX BOXXER TEAM 27.5
200MM

REAR SHOCK
ROCKSHOX VIVID R2C 9.5X3.0

SHIFTER
SRAM GX DH 7S

TRANSMISSION
SRAM GX DH 7S

CRANKSET
TRUVATIV DESCENDANT 36T

BRAKES
SRAM GUIDE RS

RIMS
RACEFACE AR30, 30MM INNER

HUBS
DT SWISS 350 TA 20MM | 12X150MM

TIRES
MAXXIS HIGHROLLER II 27.5X2.4" 3C
COMPOUND 2PLY

CASSETTE
SRAM 7S 11-25T

SADDLE
SDG FLY RL

HANDLEBAR
RACE FACE 20MM
RISE 35MM 800MM

CHAINGUIDE
E13 LG1+ WITH TACO BASH





DOWNHILL

WILSON 27,5 XP



FRAME	ALUMINUM OPTIMUM G04 204MM	RIMS	DT SWISS 533D
FORK	ROCKSHOX BOXXER RC 27.5 200MM	HUBS	FORMULA DISC SEALED TA 20MM 12X150MM
REAR SHOCK	ROCKSHOX VIVID R2C 9.5X3.0	TIRES	MAXXIS HIGHROLLER II 27.5X2.4" 3C COMPOUND 2PLY
SHIFTER	SRAM X.7	CASSETTE	SHIMANO 10S 11-28T
TRANSMISSION	SRAM X.7 T2 EXACT ACTUATION	SADDLE	SDG FLY RL
CRANKSET	TRUVATIV HUSSEFELT 1.0 HOWITZER 36T	HANDLEBAR	V2 PRO RISERBAR 31.8MM*780MM
BRAKES	SRAM GUIDE R	CHAINGUIDE	E13 LG1+ WITH TACO BASH

DOWNHILL
WILSON CARBON

FRAME
CARBON DMC-G 204MM

HEADSET
FSA ORBIT 1.5 ZERO STACK W/SL BEARING

REAR SHOCK
ROCKSHOX VIVID R2C 9.5X3.0

SEAT CLAMP
ALLOY CNC 37MM BLACK



MATTE | CARBON, RED, BLUE

GLOSS | CARBON, SILVER

DOWNHILL
WILSON

FRAME
ALUMINUM OPTIMUM G04 204MM

HEADSET
FSA ORBIT 1.5 ZERO STACK

REAR SHOCK
ROCKSHOX VIVID R2C 9.5X3.0

SEAT CLAMP
ALLOY CNC 34.9MM BLACK



MATTE | BLUE, ORANGE, BLUE

GLOSS | BLACK, YELLOW, RED



- ENDURO -

ENTER THE ARENA

SPARTAN

DOWNHILL

ENDURO

ALL MOUNTAIN

TRAIL

TRAIL TRACTION

Built for the spinning globe of terrain changes under your wheels, Devinci's Spartan comes battle equipped. From Devinci Global Racing storming the international Enduro race circuit to backyard bike park sessions, Spartan rolls in on full-suspension 27.5-inch Split-Pivot credentials—in both aluminum and carbon builds, with ample 165mm rear and 160mm fork travel. Spartan DMC-G carbon frames feature Devinci's advanced EPS Mold-ing for flawless form consistency and lighter, stiffer, stronger performance. While amped frame rigidity makes Spartan an upslope annihilator and bolsters downhill precision for pinning it across turbulent terra firma. Devinci Spartan. Hammer the throttle and launch the gap between freeride adventure and the exploding world of Enduro racing today.

ENDURO

SPARTAN CARBON SLX/XT

FRAME
CARBON DMC-G 165MM

FORK
ROCKSHOX PIKE RC 27.5 BOOST SOLO AIR 160MM

REAR SHOCK
ROCKSHOX MONARCH PLUS RC3 DEBONAIR 8.5X2.5

SHIFTER
SHIMANO SLX M7000 11S

TRANSMISSION
SHIMANO XT M8000 11S

CRANKSET
SHIMANO SLX M7000 32T

BRAKES
SHIMANO SLX M7000

FRONT WHEEL
RACEFACE AFFECT R30 27.5 110X15

REAR WHEEL
RACEFACE AFFECT R30 27.5 142X12

FRONT TIRE
MAXXIS HIGHROLLER II 27.5X2.3" 3C COMPOUND,
TUBESSE READY, DOUBLEDOWN CASING

REAR TIRE
MAXXIS DHR II 27.5X2.3" 3C COMPOUND,
TUBESSE READY, DOUBLEDOWN CASING

CASSETTE
SHIMANO SLX 11S 11-42T

SADDLE
SDG FLY MTN

HANDLEBAR
CHROMAG FUBAR OSX 35°800MM

SEATPOST
ROCK SHOX REVERB
STEALTH 125MM 31.6MM

MATTE | CARBON, CHARCOAL

GLOSS | YELLOW, RED



SPARTAN CARBON ^{ENDURO} GX



MATTE | CARBON, CHARCOAL

FRAME
CARBON DMC-G 165MM

FORK
ROCKSHOX PIKE RC 27.5 BOOST SOLO AIR 160MM

REAR SHOCK
ROCKSHOX MONARCH PLUS RC3 DEBONAIR 8.5X2.5

SHIFTER
SRAM GX 11S

CRANKSET
RACEFACE AFFECT DM30T

BRAKES
SRAM GUIDE R

RIMS
RACEFACE AR30, 30MM INNER

HUBS
FORMULA TA 110MM I DISC
SEALED TA 12X142MM

FRONT TIRE
MAXXIS HIGHROLLER II 27.5X2.3" 3C COMPOUND,
TUBLESSE READY, DOUBLEDOWN CASING

REAR TIRE
MAXXIS DHR II 27.5X2.3" 3C COMPOUND,
TUBLESSE READY, DOUBLEDOWN CASING

CASSETTE
SRAM 11S 11-42T

SADDLE
SDG BEL-AIR

HANDLEBAR
V2 PRO RISERBAR 35MM 780MM

GLOSS | YELLOW, RED

SPARTAN CARBON ^{ENDURO} NX



GLOSS | YELLOW, RED

FRAME
CARBON DMC-G 165MM

FORK
ROCKSHOX YARI RC 27.5 BOOST SOLO AIR 160MM

REAR SHOCK
ROCKSHOX MONARCH PLUS RC3 DEBONAIR 8.5X2.5

SHIFTER
SRAM NX 11S

CRANKSET
SRAM NX 30T

BRAKES
SRAM LEVEL T

RIMS
V2 COMP DB

HUBS
FORMULA TA 110MM I
DISC SEALED TA 14X142MM

TIRES
MAXXIS HIGHROLLER II
27.5X2.4" 3C COMPOUND 2PLY

CASSETTE
SRAM 11S 11-42T

SADDLE
SDG BEL-AIR

HANDLEBAR
V2 PRO RISERBAR 35MM 780MM

MATTE | CARBON, CHARCOAL

ENDURO

SPARTAN GX



MATTE | BLACK, CHARCOAL

FRAME
ALUMINUM OPTIMUM G04 165MM

FORK
ROCKSHOX PIKE RC 27.5 BOOST SOLO AIR 160MM

REAR SHOCK
ROCK SHOX MONARCH PLUS RC3 DB 8.5X2.5

SHIFTER
SRAM GX 11S

CRANKSET
RACEFACE AEEFFECT DM30T

BRAKES
SRAM GUIDE R

RIMS
RACEFACE AR30, 30MM INNER

HUBS
FORMULA TA 110MM | DISC
SEALED TA 12X142MM

FRONT TIRE
MAXXIS HIGHROLLER II 27.5X2.3" 3C COMPOUND,
TUBLESSE READY, DOUBLEDOWN CASING

REAR TIRE
MAXXIS DHR II 27.5X2.3" 3C COMPOUND,
TUBLESSE READY, DOUBLEDOWN CASING

CASSETTE
SRAM 11S 11-42T

SADDLE
SDG BEL-AIR

HANDLEBAR
V2 PRO RISERBAR 35MM 780MM

ENDURO

SPARTAN NX



MATTE | BLACK, CHARCOAL

FRAME
ALUMINUM OPTIMUM G04 165MM

FORK
ROCKSHOX YARI RC 27.5 BOOST SOLO AIR 160MM

REAR SHOCK
ROCK SHOX MONARCH PLUS RC3 DB 8.5X2.5

SHIFTER
SRAM NX 11S

TRANSMISSION
SRAM NX 11S

CRANKSET
SRAM NX 30T

BRAKES
SRAM LEVEL T

RIMS
V2 COMP DB

HUBS
FORMULA TA 110MM | DISC
SEALED TA 12X142MM

TIRES
MAXXIS HIGHROLLER II
27.5X2.4" 3C COMPOUND 2PLY

CASSETTE
SRAM 11S 11-42T

SADDLE
SDG BEL-AIR

HANDLEBAR
V2 PRO RISERBAR 35MM 780MM





ENDURO

SPARTAN CARBON

FRAME
CARBON DMC-G 165MM

HEADSET
FSA ORBIT 1.5 ZERO STACK

REAR SHOCK
ROCKSHOX MONARCH PLUS RC3 DEBONAIR 8.5X2.5

SEAT CLAMP
ALLOY CNC 37MM BLACK



GLOSS | YELLOW, RED

MATTE | CARBON, CHARCOAL

ENDURO

SPARTAN

FRAME
ALUMINUM OPTIMUM G04 165MM

HEADSET
FSA ORBIT 1.5 ZERO STACK

REAR SHOCK
ROCK SHOX MONARCH PLUS RC3 DB 8.5X2.5

SEAT CLAMP
ALLOY CNC 34.9MM BLACK



MATTE | BLACK, CHARCOAL



- ALL MOUNTAIN -

EQUIPPED TO ELEVATE

TROY

DOWNHILL

ENDURO

ALL MOUNTAIN

TRAIL

TRAIL TRACTION

No two mountains are the same. That's why we storm the globe—from Rockies to Andes and beyond—stoked to caress and conquer every nuance. Devinci's All-Mountain Troy is the badass tasked to rip that apex terrain. Powered by our Testing is Everything modus, a fifth generation Split-Pivot platform increases bottom-out force based on expert intel from DGR rippers like Stevie Smith. Clean technical lines from top to bottom thanks to advanced team-inspired geometry. Power up steep climbs with intuitive handling aided by an axed-down 424 mm chainstay. And harness the stability-enhancing benefits of Boost 148 rear-axle spacing for charging coastal backcountry terrain at ultra-high speeds. The All-Mountain Troy scores high marks wherever mountains loom. Point it toward the ranges and roam free.

ALL MOUNTAIN

TROY CARBON X0



FRAME	CARBON DMC-G 140MM	FRONT TIRE	MAXXIS HIGHROLLER II 27.5X2.3" 3C COMPOUND EXO PROTECTION
FORK	ROCKSHOX PIKE RCT3 27.5 BOOST 110 SOLO AIR 150MM	REAR TIRE	MAXXIS MINTION DHR II 27.5X2.3" 3C MAXX TERRA, EXO TL
REAR SHOCK	ROCK SHOX MONARCH RT3 DEBONAIR 7.875X2.0	FRONT WHEEL	RACEFACE TURBINE R30 27.5 BOOST110X15
SHIFTERS	SRAM X01 EAGLE 12S	REAR WHEEL	RACEFACE TURBINE R30 27.5 148X12 XD
TRANSMISSION	SRAM X01 EAGLE 12S	CASSETTE	SRAM 12S 10-50T
CRANKSET	SRAM X01 EAGLE 34T BOOST 148	SEATPOST	ROCK SHOX REVERB STEALTH 125MM 31.6MM
BRAKES	SRAM GUIDE RSC	HANDLEBAR	CHROMAG BZA 35 800MM

TROY CARBON SLX/XT

ALL MOUNTAIN



MATTE | ORANGE, RED, BLACK

GLOSS | CARBON, CHARCOAL

FRAME	CARBON DMC-G 140MM	TIRES	MAXXIS HIGHROLLER II 27.5X2.3" 3C COMPOUND EXO PROTECTION
FORK	ROCKSHOX PIKE RC 27.5 BOOST 110 SOLO AIR 150MM	FRONT WHEEL	RACEFACE AEFFECT R30 27.5 110X15
REAR SHOCK	ROCK SHOX MONARCH RT3 DEBONAIR 7.875X2.0	REAR WHEEL	RACEFACE AEFFECT R30 27.5 148X12
SHIFTERS	SHIMANO SLX M7000 11S	CASSETTE	SHIMANO SLX 11S 11-42T
TRANSMISSION	SHIMANO XT M8000 11S	SADDLE	SDG FLY MTN
CRANKSET	RACEFACE TURBINE DM30 10/11S PF	SEATPOST	ROCK SHOX REVERB STEALTH 125MM 31.6MM
BRAKES	SHIMANO SLX M7000	STEM	RACE FACE TURBINE 35MM



TROY CARBON GX

ALL MOUNTAIN
FRAME
CARBON DMC-G 140MM

FORK
ROCKSHOX PIKE RC 27.5 BOOST 110 SOLO AIR 150MM

REAR SHOCK
ROCK SHOX MONARCH RT3 DEBONAIR 7.875X2.0

SHIFTER
SRAM GX 11S

TRANSMISSION
SRAM GX 11S

CRANKSET
RACEFACE AEEFFECT DM30T

BRAKES
SRAM GUIDE R

RIMS
RACEFACE AR27, 27MM INNER

HUBS
FORMULA TA 110MM | BOOST148

TIRES
MAXXIS HIGHROLLER II 27.5X2.3" 3C
COMPOUND EXO PROTECTION

CASSETTE
SRAM 11S 11-42T

SADDLE
SDG BEL-AIR

SEATPOST
FSA AJUSTABLE 125MM 31.6MM



MATTE | ORANGE, RED, BLACK

GLOSS | CARBON, CHARCOAL

TROY CARBON NX

ALL MOUNTAIN
FRAME
CARBON DMC-G 140MM

FORK
ROCKSHOX SEKTOR RL 27.5 SOLO AIR 150MM BOOST 110X15

REAR SHOCK
ROCK SHOX MONARCH RT3 DEBONAIR 7.875X2.0

SHIFTER
SRAM NX 11S

TRANSMISSION
SRAM NX 11S

CRANKSET
SRAM NX 30T BOOST 148

BRAKES
SRAM LEVEL T

RIMS
V2 COMP DB

HUBS
FORMULA TA 110MM | BOOST148

TIRES
MAXXIS HIGHROLLER II 27.5X2.3" 3C
COMPOUND EXO PROTECTION

CASSETTE
SRAM 11S 11-42T

SADDLE
SDG BEL-AIR

SEATPOST
FSA AJUSTABLE 125MM 31.6MM



GLOSS | CARBON, CHARCOAL

MATTE | ORANGE, RED, BLACK

FRAME
ALUMINUM OPTIMUM G04 140MM

FORK
ROCKSHOX PIKE RC 27.5 BOOST 110 SOLO AIR 150MM

REAR SHOCK
ROCK SHOX MONARCH RT DEBONAIR 7.875X2.0

SHIFTER
SRAM GX 11S

TRANSMISSION
SRAM GX 11S

CRANKSET
RACEFACE AFFECT DM30T

BRAKES
SRAM GUIDE R

RIMS
RACEFACE AR27, 27MM INNER

HUBS
FORMULA TA 110MM I BOOST148

TIRES
MAXXIS HIGHROLLER II 27.5X2.3" 3C
COMPOUND EXO PROTECTION

CASSETTE
SRAM 11S 11-42T

SADDLE
SDG BEL-AIR

HANDLEBAR
V2 PRO RISERBAR 35MM 780MM

SEATPOST
FSA AJUSTABLE 125MM 31.6MM

GLOSS | BLACK, BLUE, GREEN





ALL MOUNTAIN

TROY NX



GLOSS | BLACK, BLUE, GREEN

FRAME
ALUMINUM OPTIMUM G04 140MM

FORK
ROCKSHOX SEKTOR RL 27.5 SOLO AIR 150MM BOOST 110X15

REAR SHOCK
ROCK SHOX MONARCH RT DEBONAIR 7.875X2.0

SHIFTER
SRAM NX 11S

TRANSMISSION
SRAM NX 11S

CRANKSET
SRAM NX 30T BOOST 148

BRAKES
SRAM LEVEL T

RIMS
V2 COMP DB

HUBS
FORMULA TA 110MM | BOOST148

TIRES
MAXXIS HIGHROLLER II 27.5X2.3" 3C
COMPOUND EXO PROTECTION

CASSETTE
SRAM 11S 11-42T

SADDLE
SDG BEL-AIR

HANDLEBAR
V2 PRO RISERBAR 35MM 780MM

SEATPOST
FSA AJUSTABLE 125MM 31.6MM

ALL MOUNTAIN

TROY S



MATTE | BLACK, RED

FRAME
ALUMINUM OPTIMUM G04 140MM

FORK
ROCKSHOX SEKTOR RL 27.5 SOLO AIR 150MM

REAR SHOCK
ROCK SHOX MONARCH RT DEBONAIR 7.875X2.0

SHIFTER
SHIMANO DEORE M610

TRANSMISSION
SHIMANO DEORE M615 SHADOW+

CRANKSET
FSA COMET 36/22T

BRAKES
SHIMANO M396

RIMS
V2 COMP DB

HUBS
FORMULA DISC TA 15MM | BOOST148

TIRES
MAXXIS ARDENT 27.5X2.25

CASSETTE
SHIMANO 10S 11-36T

SADDLE
PROLOGO K3

HANDLEBAR
V2 PRO RISERBAR 31.8MM*780MM

SEATPOST
V2 COMP 31.6MM

ALL MOUNTAIN

TROY CARBON

FRAME
CARBON DMC-G 140MM

HEADSET
FSA ORBIT 1.5 ZERO STACK W/SL BEARING

REAR SHOCK
ROCK SHOX MONARCH RT3 DEBONAIR 7.875X2.0

SEAT CLAMP
ALLOY CNC 37MM BLACK



GLOSS | CARBON, CHARCOAL

MATTE | ORANGE, RED, BLACK

ALL MOUNTAIN

TROY

FRAME
ALUMINUM OPTIMUM G04 140MM

HEADSET
FSA ORBIT 1.5 ZERO STACK

REAR SHOCK
ROCK SHOX MONARCH RT DEBONAIR 7.875X2.0

SEAT CLAMP
ALLOY CNC 34.9MM BLACK



GLOSS | BLACK, BLUE, GREEN



- TRAIL -

DJANGO. FAST DRAW.

DJANGO 27,5 | 29

DOWNHILL

ENDURO

ALL MOUNTAIN

TRAIL

TRAIL TRACTION

Freedom on the bike is all about breaking from the starch and sending it into the dirt-sphere with power, speed, and finesse. Devinci's new Split-Pivot Django actualizes those aspirations on the trail, with an optimal blend of 130mm front/120mm rear suspension. Surefooted 27.5 or 29 wheels enhance traction on wet, slippery surfaces and deliver appreciated stability. And alloy and carbon frame architecture augments punchy acceleration with precision handling and a lively overall feel. Whether sticking fierce, fast descents or finding optimal flow over upturned environments, Django seizes the opportunities ahead. Its lifetime warranty fuels the advance.



DJANGO CARBON X01

TRAIL 27,5



MATTE | BLUE, RED, BLUE



GLOSS | BLACK, BLUE



MATTE | CARBON, WHITE

FRAME	CARBON DMC-G 120MM	FRONT TIRE	MAXXIS HIGHROLLER II 27.5X2.3" 3C COMPOUND EXO PROTECTION
FORK	ROCKSHOX PIKE RCT3 27.5 BOOST 110 SOLO AIR 130MM	REAR TIRE	MAXXIS ARDENT 27.5X2.25" DUAL COMPOUND EXO PROTECTION
REAR SHOCK	ROCKSHOX MONARCH RT3 7.25X1.75 DEBONAIR HIGH VOLUME EYELET	FRONT WHEEL	RACEFACE TURBINE R30 27.5 BOOST110X15
SHIFTERS	SRAM X01 EAGLE 12S	REAR WHEEL	RACEFACE TURBINE R30 27.5 148X12 XD
TRANSMISSION	SRAM X01 EAGLE 12S	CASSETTE	SRAM 12S 10-50T
CRANKSET	SRAM X01 EAGLE 34T BOOST 148	SADDLE	SDG FLY MTN
BRAKES	SRAM LEVEL TLM	SEATPOST	ROCK SHOX REVERB STEALTH 125MM 31.6MM

TRAIL 27,5

DJANGO CARBON SLX/XT



MATTE | BLUE, RED, BLUE

FRAME
CARBON DMC-G 120MM

FORK
ROCKSHOX PIKE RC 27.5 BOOST 110 SOLO AIR 130MM

REAR SHOCK
ROCKSHOX MONARCH RT3 7.25X1.75
DEBONAIR HIGH VOLUME EYELET

SHIFTER
SHIMANO SLX M7000 11S

CRANKSET
RACEFACE TURBINE DM30 10/11S PF

BRAKES
SHIMANO SLX M7000

FRONT TIRE
MAXXIS HIGHROLLER II 27.5X2.3" 3C
COMPOUND EXO PROTECTION

REAR TIRE
MAXXIS ARDENT 27.5X2.25" DUAL
COMPOUND EXO PROTECTION

FRONT WHEEL
RACEFACE AEFFECT SL24 27.5 110X15

REAR WHEEL
RACEFACE AEFFECT SL24 27.5 148X12

CASSETTE
SHIMANO SLX 11S 11-42T

SADDLE
SDG FLY MTN

SEATPOST
ROCK SHOX REVERB
STEALTH 125MM 31.6MM

GLOSS | BLACK, BLUE

TRAIL 27,5

DJANGO CARBON GX



GLOSS | BLACK, BLUE

FRAME
CARBON DMC-G 120MM

FORK
ROCKSHOX PIKE RC 27.5 BOOST 110 SOLO AIR 130MM

REAR SHOCK
ROCKSHOX MONARCH RT3 7.25X1.75
DEBONAIR HIGH VOLUME EYELET

SHIFTER
SRAM GX 11S

CRANKSET
RACEFACE AEFFECT DM30T

BRAKES
SRAM LEVEL TL

RIMS
RACEFACE AR24, 24MM INNER

HUBS
FORMULA TA 110MM | BOOST148

FRONT TIRE
MAXXIS HIGHROLLER II 27.5X2.3" 3C
COMPOUND EXO PROTECTION

REAR TIRE
MAXXIS ARDENT 27.5X2.25" DUAL
COMPOUND EXO PROTECTION

CASSETTE
SRAM 11S 11-42T

SADDLE
SDG BEL-AIR

SEATPOST
FSA AJUSTABLE 125MM 31.6MM

MATTE | BLUE, RED, BLUE

MATTE | CARBON, WHITE



TRAIL 27,5

DJANGO CARBON NX



MATTE | CARBON, ORANGE, BLEU



GLOSS | BLACK, BLUE

MATTE | CARBON, WHITE

FRAME	CARBON DMC-G 120MM	HUBS	V2 COMP DB BOOST148
FORK	ROCKSHOX SEKTOR RL 27.5 SOLO AIR 130MM BOOST 110X15	FRONT TIRE	MAXXIS HIGHROLLER II 27.5X2.3" 3C COMPOUND EXO PROTECTION
REAR SHOCK	ROCKSHOX MONARCH RT3 7.25X1.75 DEBONAIR HIGH VOLUME EYELET	REAR TIRE	MAXXIS ARDENT 27.5X2.25
SHIFTERS	SRAM NX 11S	CASSETTE	SRAM 11S 11-42T
CRANKSET	SRAM NX 11S	SADDLE	SDG BEL-AIR
BRAKES	SRAM NX 30T BOOST 148	SEATPOST	FSA AJUSTABLE 125MM 31.6MM
RIMS	SRAM LEVEL T		

DJANGO

TRAIL 27,5

GX



MATTE | GREEN, BLACK

FRAME	ALUMINUM OPTIMUM G04 120MM	HUBS	FORMULA TA 110MM BOOST148
FORK	ROCKSHOX PIKE RC 27.5 BOOST 110 SOLO AIR 130MM	FRONT TIRE	MAXXIS HIGHROLLER II 27.5X2.3" 3C COMPOUND EXO PROTECTION
REAR SHOCK	ROCKSHOX MONARCH RT 7.25X1.75 DEBONAIR HIGH VOLUME EYELET	REAR TIRE	MAXXIS ARDENT 27.5X2.25" DUAL COMPOUND EXO PROTECTION
SHIFTERS	SRAM GX 11S	CASSETTE	SRAM 11S 11-42T
CRANKSET	RACEFACE AEEFFECT DM30T	HANDLEBAR	V2 PRO RISERBAR 35MM 780MM
BRAKES	SRAM LEVEL TL	STEM	V2 PRO 35MM
RIMS	RACEFACE AR24, 24MM INNER	SEATPOST	FSA AJUSTABLE 125MM 31.6MM

TRAIL 27,5

DJANGO NX



MATTE | GREEN, BLACK

FRAME
ALUMINUM OPTIMUM G04 120MM

FORK
ROCKSHOX SEKTOR RL 27.5 SOLO
AIR 130MM BOOST 110X15

REAR SHOCK
ROCKSHOX MONARCH RT 7.25X1.75
DEBONAIR HIGH VOLUME EYELET

SHIFTER
SRAM NX 11S

CRANKSET
SRAM NX 30T BOOST 148

BRAKES
SRAM LEVEL T

RIMS
V2 COMP DB

HUBS
FORMULA TA 110MM | BOOST148

FRONT TIRE
MAXXIS HIGHROLLER II 27.5X2.3" 3C
COMPOUND EXO PROTECTION

REAR TIRE
MAXXIS ARDENT 27.5X2.25

CASSETTE
SRAM 11S 11-42T

HANDLEBAR
V2 PRO RISERBAR 35MM 780MM

SEATPOST
FSA AJUSTABLE 125MM 31.6MM

TRAIL 27,5

DJANGO S



MATTE | CHARCOAL, SILVER

FRAME
ALUMINUM OPTIMUM G04 120MM

FORK
ROCKSHOX SEKTOR RL 27.5 SOLO
AIR 130MM

REAR SHOCK
ROCKSHOX MONARCH RT 7.25X1.75
DEBONAIR HIGH VOLUME EYELET

SHIFTER
SHIMANO DEORE M610

CRANKSET
FSA COMET 36/22T

BRAKES
SHIMANO M396

RIMS
V2 COMP DB

HUBS
FORMULA DISC TA 15MM | BOOST148

TIRES
MAXXIS ARDENT 27.5X2.25

CASSETTE
SHIMANO 10S 11-36T

HANDLEBAR
V2 PRO RISERBAR 31.8MM*720MM

SEATPOST
V2 COMP 31.6MM

TRAIL 27,5

DJANGO CARBON

FRAME
CARBON DMC-G 120MM

HEADSET
FSA ORBIT 1.5 ZERO STACK W/SL BEARING

REAR SHOCK
ROCKSHOX MONARCH RT3 7.25X1.75
DEBONAIR HIGH VOLUME EYELET

SEAT CLAMP
ALLOY CNC 37MM BLACK



MATTE | BLUE, RED, BLUE



GLOSS | BLACK, BLUE



MATTE | CARBON, WHITE

TRAIL 27,5

DJANGO

FRAME
ALUMINUM OPTIMUM G04 120MM

HEADSET
FSA ORBIT 1.5 ZERO STACK

REAR SHOCK
ROCKSHOX MONARCH RT 7.25X1.75
DEBONAIR HIGH VOLUME EYELET

SEAT CLAMP
ALLOY CNC 34.9MM BLACK



MATTE | GREEN, BLACK

TRAIL 29

DJANGO CARBON 29 X01 12S



MATTE | NAVY BLUE, ORANGE, BLUE



GLOSS | BLACK WHITE

FRAME	CARBON DMC-G 120MM	REAR TIRE	MAXXIS ARDENT 29X2.25 TR
FORK	FOX FLOAT 34 FACTORY 29 BOOST 110 130MM	FRONT WHEEL	RACEFACE TURRBINE R30 29 BOOST110X15
REAR SHOCK	FOX FLOAT FACTORY SERIES, 7.25X1.75	REAR WHEEL	RACEFACE TURBINE R30 29 148X12 XD
SHIFTER	SRAM X01 EAGLE 12S	CASSETTE	SRAM 12S 10-50T
CRANKSET	SRAM X01 EAGLE 34T BOOST 148	HANDLEBAR	RACE FACE SIXC 20MM RISE 35MM 800MM
BRAKES	SRAM LEVEL TLM	SADDLE	SDG FLY MTN
FRONT TIRE	MAXXIS HIGH ROLLER II 29X2.3" 3C EXO TL	SEATPOST	ROCK SHOX REVERB STEALTH 125MM 31.6MM

DJANGO CARBON 29 SLX/XT



GLOSS | BLACK, WHITE

TRAIL 29
FRAME
CARBON DMC-G 120MM

FORK
FOX FLOAT 34 PERFORMANCE
ELITE 29 BOOST 110 130MM

REAR SHOCK
FOX FLOAT FACTORY SERIES, 7.25X1.75

SHIFTER
SHIMANO SLX M7000 11S

CRANKSET
RACEFACE TURBINE DM30 10/11S PF

BRAKES
SHIMANO SLX M7000

FRONT TIRE
MAXXIS HIGH ROLLER II
29X2.3" 3C EXO TL

REAR TIRE
MAXXIS ARDENT 29X2.25 TR

FRONT WHEEL
RACEFACE AEFFECT SL24 29 110X15

REAR WHEEL
RACEFACE AEFFECT SL24 29 148X12

CASSETTE
SHIMANO SLX 11S 11-42T

SEATPOST
ROCK SHOX REVERB STEALTH
125MM 31.6MM

MATTE | NAVY, ORANGE, BLUE

DJANGO CARBON 29 GX



GLOSS | BLACK, WHITE

TRAIL 29
FRAME
CARBON DMC-G 120MM

FORK
FOX FLOAT 34 PERFORMANCE
ELITE 29 BOOST 110 130MM

REAR SHOCK
FOX FLOAT FACTORY SERIES, 7.25X1.75

SHIFTER
SRAM GX 11S

CRANKSET
RACEFACE AEFFECT DM30T

BRAKES
SRAM LEVEL TL

RIMS
RACEFACE AR24, 24MM INNER

HUBS
FORMULA TA 110MM | BOOST148

FRONT TIRE
MAXXIS HIGH ROLLER II 29X2.3" EXO TL

REAR TIRE
MAXXIS ARDENT 29X2.25 TR

CASSETTE
SRAM 11S 11-42T

SEATPOST
FSA AJUSTABLE 125MM 31.6MM

MATTE | NAVY, ORANGE, BLUE

TRAIL 29

DJANGO CARBON 29 NX



MATTE | NAVY BLUE, ORANGE, BLUE

FRAME
CARBON DMC-G 120MM

FORK
FOX RHYTHM 34 FLOAT 29 BOOST 110 130MM

REAR SHOCK
FOX FLOAT FACTORY SERIES, 7.25X1.75

SHIFTER
SRAM NX 11S

CRANKSET
SRAM NX 30T BOOST 148

BRAKES
SRAM LEVEL T

RIMS
V2 COMP DB

HUBS
FORMULA TA 110MM | BOOST148

FRONT TIRE
MAXXIS HIGH ROLLER II 29X2.3" EXO TL

REAR TIRE
MAXXIS ARDENT 29X2.25 TR

CASSETTE
SRAM 11S 11-42T

SEATPOST
FSA AJUSTABLE 125MM 31.6MM

GLOSS | BLACK, WHITE

TRAIL 29

DJANGO 29 GX



MATTE | SILVER, RED, BLACK

FRAME
ALUMINUM OPTIMUM G04 120MM

FORK
FOX FLOAT 34 PERFORMANCE ELITE 29 BOOST 110 130MM

REAR SHOCK
FOX FLOAT PERFORMANCE ELITE SERIES, 7.25X1.75

SHIFTER
SRAM GX 11S

CRANKSET
RACEFACE AEEFFECT DM30T

BRAKES
SRAM LEVEL TL

RIMS
RACEFACE AR24, 24MM INNER

HUBS
FORMULA TA 110MM | BOOST148

FRONT TIRE
MAXXIS HIGH ROLLER II 29X2.3" EXO TL

REAR TIRE
MAXXIS ARDENT 29X2.25 TR

CASSETTE
SRAM 11S 11-42T

SEATPOST
FSA AJUSTABLE 125MM 31.6MM



TRAIL 29

DJANGO 29 NX

FRAME
ALUMINUM OPTIMUM G04 120MM

FORK
FOX RHYTHM 34 FLOAT 29
BOOST 110 130MM

REAR SHOCK
FOX FLOAT PERFORMANCE
ELITE SERIES, 7.25X1.75

SHIFTER
SRAM NX 11S

CRANKSET
SRAM NX 30T BOOST 148

BRAKES
SRAM LEVEL T

RIMS
V2 COMP DB

HUBS
FORMULA TA 110MM | BOOST148

FRONT TIRE
MAXXIS HIGH ROLLER II 29X2.3" EXO TL

REAR TIRE
MAXXIS ARDENT 29X2.25 TR

CASSETTE
SRAM 11S 11-42T

SEATPOST
FSA AJUSTABLE 125MM 31.6MM

MATTE | SILVER, RED, BLACK



TRAIL 29

DJANGO CARBON

FRAME
CARBON DMC-G 120MM

HEADSET
FSA ORBIT 1.5 ZERO STACK W/SL BEARING

REAR SHOCK
FOX FLOAT FACTORY SERIES, 7.25X1.75

SEAT CLAMP
ALLOY CNC 37MM BLACK



GLOSS | BLACK, WHITE

MATTE | NAVY BLUE, ORANGE, BLUE

TRAIL 29

DJANGO

FRAME
ALUMINUM OPTIMUM G04 120MM

HEADSET
FSA ORBIT 1.5 ZERO STACK

REAR SHOCK
FOX FLOAT PERFORMANCE ELITE SERIES, 7.25X1.75

SEAT CLAMP
ALLOY CNC 34.9MM BLACK



MATTE | SILVER, RED, BLACK



- TRAIL TRACTION -

VOODOO CHILD

MARSHALL

DOWNHILL

ENDURO

ALL MOUNTAIN

TRAIL

TRAIL TRACTION

The Marshall* experience is all about taking the unorthodox and owning it. It excels in mixed-bag elements and tackles varied, unforgiving terrain with the multitasking muscle of Devinci's Optimum G04 Aluminum or DMC-G Carbon frame paired with proven Split-Pivot suspension. Surefooted 27.5 wheels enhance traction on slippery surfaces and deliver appreciated stability. And Boost spacing bolsters stiffness for superior handling meets massive pedal power. Charge hard with bikes equipped for one burning desire, to go anywhere and everywhere the others won't.

[*This bike was formerly called the Hendrix. The current incarnation takes its handle from Jimi's middle name, Marshall. And it rocks just as hard.]

TRAIL TRACTION

MARSHALL CARBON SLX/XT



MATTE & GLOSS | CARBON, CHARCOAL

FRAME	CARBON DMC-G 110MM	FRONT WHEEL	RACEFACE AEFFECT PLUS40 27.5 110X15
FORK	ROCKSHOX PIKE RCT3 27.5+ SOLO AIR 120MM	REAR WHEEL	RACEFACE AEFFECT +40 27.5 148X12
REAR SHOCK	ROCKSHOX MONARCH RT3 DEBONAIR 7.875X2.00	CASSETTE	SHIMANO SLX 11S 11-42T
SHIFTER	SHIMANO SLX M7000 11S	HANDLEBAR	RACE FACE ATLAS 20MM RISE 35MM 800MM
CRANKSET	RACEFACE TURBINE DM30 10/11S PF	STEM	RACE FACE TURBINE 35MM
BRAKES	SHIMANO SLX M7000	SADDLE	SDG BEL-AIR
TIRES	MAXXIS CHRONICLE 27.5X3.0	SEATPOST	ROCK SHOX REVERB STEALTH 125MM 31.6MM

MARSHALL CARBON NX

TRAIL TRACTION



MATTE & GLOSS | CARBON, CHARCOAL

FRAME
CARBON DMC-G 110MM

FORK
ROCKSHOX PIKE RC 27.5+
SOLO AIR 120MM

REAR SHOCK
ROCKSHOX MONARCH RT3 D
EBONAIR 7.875X2.00

SHIFTER
SRAM NX 11S

CRANKSET
RACEFACE AFFECT DM30T

BRAKES
SRAM LEVEL T

RIMS
V2 COMP WIDE DB

HUBS
FORMULA TA 110MM | BOOST148

TIRES
MAXXIS CHRONICLE 27.5X3.0

CASSETTE
SRAM 11S 11-42T

HANDLEBAR
V2 PRO RISERBAR 35MM 780MM

SEATPOST
FSA AJUSTABLE 125MM 31.6MM

MARSHALL SLX/XT

TRAIL TRACTION



MATTE | BLACK, SILVER

FRAME
ALUMINUM OPTIMUM G04 110MM

FORK
ROCKSHOX PIKE RCT3 27.5+
SOLO AIR 120MM

REAR SHOCK
ROCKSHOX MONARCH R
DEBONAIR 7.875X2.00

SHIFTER
SHIMANO SLX M7000 11S

CRANKSET
RACEFACE TURBINE DM30 10/11S PF

BRAKES
SHIMANO SLX M7000

TIRES
MAXXIS CHRONICLE 27.5X3.0

FRONT WHEEL
RACEFACE AFFECT
PLUS40 27.5 110X15

REAR WHEEL
RACEFACE AFFECT +40 27.5 148X12

CASSETTE
SHIMANO SLX 11S 11-42T

HANDLEBAR
RACE FACE ATLAS 20MM
RISE 35MM 800MM

SEATPOST
ROCK SHOX REVERB STEALTH
125MM 31.6MM





TRAIL TRACTION

MARSHALL NX



MATTE | BLACK, CHARCOAL

FRAME	ALUMINUM OPTIMUM G04 110MM	HUBS	FORMULA TA 110MM BOOST148
FORK	ROCKSHOX PIKE RC 27.5+ SOLO AIR 120MM	TIRES	MAXXIS CHRONICLE 27.5X3.0
REAR SHOCK	ROCKSHOX MONARCH R DEBONAIR 7.875X2.00	CASSETTE	SRAM 11S 11-42T
SHIFTER	SRAM NX 11S	HANDLEBAR	V2 PRO RISERBAR 35MM 780MM
CRANKSET	RACEFACE AEFFECT DM30T	STEM	V2 PRO 35MM
BRAKES	SRAM LEVEL T	SADDLE	SDG BEL-AIR
RIMS	V2 COMP WIDE DB	SEATPOST	FSA AJUSTABLE 125MM 31.6MM

TRAIL TRACTION

MARSHALL CARBON



FRAME
CARBON DMC-G 110MM

HEADSET
FSA ORBIT 1.5 ZERO STACK
W/SL BEARING

REAR SHOCK
ROCKSHOX MONARCH RT3
DEBONAIR 7.875X2.00

SEAT CLAMP
ALLOY CNC 37MM BLACK

MATTE & GLOSS | CARBON, CHARCOAL

TRAIL TRACTION

MARSHALL



FRAME
ALUMINUM OPTIMUM G04 110MM

HEADSET
FSA ORBIT 1.5 ZERO STACK

REAR SHOCK
ROCKSHOX MONARCH R
DEBONAIR 7.875X2.00

SEAT CLAMP
ALLOY CNC 34.9MM BLACK

MATTE | BLACK, SILVER



- SNOW BIKE -

SNOW DAY DRIFTER

MINUS

SNOW BIKE

TRACTION

TRAIL SPORT

Born where snowdrifts and driveway shovels come standard, the Devinci Minus comes equipped with a mega-footprint and a 1X drivetrain for exploring a wintry mix of untapped opportunity. Wake up to Arctic forecasts and hit the hills to lap fresh singletrack. Charge slick berms like a bobsled on wheels thanks to hardworking aluminum frame tech that bolsters strength, handling, and response. And harness all the fun of off-piste missions, with low stand-over geometry for great stability. Charge into winter with a Minus—and add an excuse-free fourth season to your stacked biking lineup.

SNOW BIKE

MINUS RS



MATTE | BLACK, BLUE, ORANGE



GLOSS | CHARCOAL, SILVER

FRAME AND FORK	ALUMINUM OPTIMUM G02	TIRES	VEETIRE BULLDOZER 26X4.7
SHIFTER	SHIMANO DEORE M610	CASSETTE	SHIMANO 10S 11-36T
TRANSMISSION	SHIMANO XT M786 SHADOW+	SADDLE	V2 PRO
CRANKSET	SAMOX 24T	HANDLEBAR	V2 COMP RISERBAR 31.8MM*720MM
BRAKES	AVID BB5 MECHANICAL	STEM	V2 PRO 31.8MM
RIMS	V2 COMP DB 100MM	SEATPOST	V2 COMP 31.6MM
HUBS	FORMULA DISC FATBIKE		

SNOW BIKE

MINUS S



MATTE | WHITE, BLACK, RED

FRAME AND FORK	ALUMINUM OPTIMUM G02	TIRES	VEETIRE BULLDOZER 26X4.7
SHIFTER	SHIMANO SL-M370	CASSETTE	SHIMANO 9S 12-36T
TRANSMISSION	SHIMANO ALTUS M370	SADDLE	V2 PRO
CRANKSET	CHUAN WEI 24T	HANDLEBAR	V2 COMP RISERBAR 31.8MM*720MM
BRAKES	TEKTRO MD-M280 MECHANICAL	STEM	V2 PRO 31.8MM
RIMS	V2 COMP DB 100MM	SEATPOST	V2 COMP 31.6MM
HUBS	FORMULA DISC FATBIKE		



- TRACTION -

IN BLOOM

KOBAIN

SNOW BIKE

TRACTION

TRAIL SPORT

Fast. Smooth. And massively fun. The all-new Devinci Kobain is all of the above packed into a deft hardtail with a plus-size footprint for superior stability and traction. Powered by Optimum G04 (6066 T6) aluminum, frames feature internal cable routing and a geometry tuned for superior handling on technical terrain. Thru axles—front and back—are stronger and stiffer for bolstered response, while additional features include ample tire clearance at both 3.25 (27.5) and 2.35 (29) configurations. Whether lapping singletrack or riffing on a jumble jumps, berms and flowing features, the Kobain is a superstar entertainer that just plain rips.

TRACTION

KOBAIN RS



MATTE | BLUE, RED, GREEN

FRAME	ALUMINUM OPTIMUM G02	HUBS	FORMULA TA 110MM/FORMULA BOOST148
FORK	ROCKSHOX RECON RL 27.5+ SOLO AIR 120MM BOOST 110X15	TIRES	KENDA HAVOK K1184 27.5*3.0
SHIFTER	SHIMANO DEORE M610	CASSETTE	SHIMANO 10S 11-36T
TRANSMISSION	SHIMANO DEORE M615 SHADOW+	SADDLE	SDG BEL-AIR
CRANKSET	FSA COMET MEGA EXO B148 30T	HANDLEBAR	V2 PRO RISERBAR 35MM 780MM
BRAKES	SHIMANO M315	STEM	V2 PRO 35MM
RIMS	V2 COMP WIDE DB	SEATPOST	FSA AJUSTABLE 125MM 31.6MM







- E-BIKE -

CONTROL ALT UNBEATABLE

E-GRIFFIN

SHIMANO
STEPS

The one-size-fits-all Griffin is Devinci's family-friendly e-bike powered by Shimano's intuitive STEPS system. Inspired by global bike share programs like those in New York, Montreal, and London, Griffins are hardwired to explore while using less energy in the process. A superior long-distance commuter or an everyday ally for weekend excursions with family and friends, these lightweight bikes are agile, maneuverable, and have disc brakes for determined stopping power. Additional features include internal cable routing for effortless transport and protection from elements; fenders and a rear rack to hold the rechargeable lithium-ion battery; and the appreciated ability to travel more than 125 kilometres in eco-mode.

E-BIKE

E-GRIFFIN



GLOSS | BLACK, BLUE

FRAME AND FORK	ALUMINUM OPTIMUM S03	COMPUTER	SHIMANO STEPS SC-E6010
SHIFTERS	SHIMANO SL-M4000	DRIVE UNIT	SHIMANO STEPS E6050 250W
TRANSMISSION	SHIMANO ALIVIO T4000	BATTERY	SHIMANO STEPS E6000 LITHIUM-ION 36V 11.6AH
CRANKSET	SHIMANO STEPS	CASSETTE	SHIMANO 9S 11-32T
BRAKES	SHIMANO M355	SADDLE	DEVINCI ATC
RIMS AND HUBS	V2 COMP DB / FORMULA DISC SEALED CENTERLOCK	STEM	TRANZX AJUSTABLE 25.4MM
TIRES	KENDA 1053 700X38C	FENDERS	SUNNY WHEEL 700C

MOUNTAIN

GEOMETRIE

HATCHET CARBON



	XS	S	M	L	XL
ST (MM)	430	470	520	560	600
SA (DEG)	76	75	74	73.5	73
HA (DEG)	70	70.5	71	71	71.5
TT (MM)	515	535	555	575	600
REACH (MM)	385	390	393	400	410
CS (MM)	435	435	435	435	435
WB (MM)	1026	1034	1040	1056	1071
BBH (MM)	287.5	287.5	287.5	287.5	287.5
SOH (MM)	676	716	764	804	842
STACK (MM)	520	541	562	590	621
HT (MM)	100	120	140	170	200
SIZING (CM)	147-160	157-171	169-180	178-187	185-193

HATCHET



	XS	S	M	L	XL
ST (MM)	430	470	520	560	600
SA (DEG)	76	75	74	73.5	73
HA (DEG)	70	70.5	71	71	71.5
TT (MM)	515	535	555	575	600
REACH (MM)	385	390	393	400	410
CS (MM)	435	435	435	435	435
WB (MM)	1026	1034	1040	1056	1071
BBH (MM)	287.5	287.5	287.5	287.5	287.5
SOH (MM)	678	716	762	801	840
STACK (MM)	520	541	562	590	621
HT (MM)	100	120	140	170	200
SIZING (CM)	147-160	157-171	169-180	178-187	185-193

WILSON CARBON



	XS	S	M	L
ST (MM)	406	432	445	457
SA (DEG)	72.5	72.5	72.5	72.5
HA (DEG)	63.2	63.2	63.2	63.2
TT1 (MM)	578	598	623	638
TT2 (MM)	554	574	599	614
REACH (MM)	391	411	436	451
CS (MM)	435	435	435	435
WB (MM)	1177	1197	1222	1237
BBH (MM)	348	348	348	348
SOH (MM)	730	730	730	730
STACK (MM)	594	594	594	594
HT (MM)	100	100	100	100
SIZING (CM)	152-171	169-180	178-187	185-193

WILSON



	XS	S	M	L
ST (MM)	406	432	445	457
SA (DEG)	72.5	72.5	72.5	72.5
HA (DEG)	63.2	63.2	63.2	63.2
TT1 (MM)	578	598	623	638
TT2 (MM)	554	574	599	614
REACH (MM)	391	411	436	451
CS (MM)	435	435	435	435
WB (MM)	1177	1197	1222	1237
BBH (MM)	348	348	348	348
SOH (MM)	730	730	730	730
STACK (MM)	594	594	594	594
HT (MM)	100	100	100	100
SIZING (CM)	152-171	169-180	178-187	185-193

SPARTAN CARBON



LO	S	M	L	XL
ST (MM)	410	445	475	510
SA (DEG)	72.4	72.4	72.4	72.4
HA (DEG)	65.8	65.8	65.8	65.8
TT1 (MM)	587	607	627	647
TT2 (MM)	560	580	601	621
REACH (MM)	395	413	432	449
CS (MM)	432	432	432	432
WB (MM)	1140	1161	1182	1203
BBH (MM)	337	337	337	337
SOH (MM)	727	734	749	764
STACK (MM)	607	612	617	626
HT (MM)	105	115	125	135
SIZING (CM)	152-171	169-180	178-187	185-193

SPARTAN



LO	S	M	L	XL
ST (MM)	410	445	475	510
SA (DEG)	72.4	72.4	72.4	72.4
HA (DEG)	65.8	65.8	65.8	65.8
TT1 (MM)	587	607	627	647
TT2 (MM)	560	580	601	621
REACH (MM)	395	413	432	449
CS (MM)	432	432	432	432
WB (MM)	1140	1161	1182	1203
BBH (MM)	337	337	337	337
SOH (MM)	727	734	749	764
STACK (MM)	607	612	617	626
HT (MM)	105	115	125	135
SIZING (CM)	152-171	169-180	178-187	185-193

TROY CARBON



LO	S	M	L	XL
ST (MM)	410	435	470	500
SA (DEG)	74.5	74.5	74.5	74.5
HA (DEG)	67	67	67	67
TT (MM)	579	602	626	651
REACH (MM)	420	440	460	480
CS (MM)	426	426	426	426
WB (MM)	1138	1162	1186	1211
BBH (MM)	338	338	338	338
SOH (MM)	699	709	722	736
STACK (MM)	599	609	618	632
HT (MM)	105	115	125	140
SIZING (CM)	152-171	169-180	178-187	185-193

HI	S	M	L	XL
ST (MM)	410	445	475	510
SA (DEG)	73.0	73.0	73.0	73
HA (DEG)	66.4	66.4	66.4	66.4
TT1 (MM)	585	605	625	645
TT2 (MM)	558	578	599	619
REACH (MM)	401	419	438	455
CS (MM)	430	430	430	430
WB (MM)	1138	1159	1180	1201
BBH (MM)	344	344	344	344
SOH (MM)	730	737	752	766
STACK (MM)	603	608	613	622
HT (MM)	105	115	125	135
SIZING (CM)	152-171	169-180	178-187	185-193

HI	S	M	L	XL
ST (MM)	410	445	475	510
SA (DEG)	73.0	73.0	73.0	73
HA (DEG)	66.4	66.4	66.4	66.4
TT1 (MM)	585	605	625	645
TT2 (MM)	558	578	599	619
REACH (MM)	401	419	438	455
CS (MM)	430	430	430	430
WB (MM)	1138	1159	1180	1201
BBH (MM)	344	344	344	344
SOH (MM)	730	737	752	766
STACK (MM)	603	608	613	622
HT (MM)	105	115	125	135
SIZING (CM)	152-171	169-180	178-187	185-193

HI	S	M	L	XL
ST (MM)	410	435	470	500
SA (DEG)	74.9	74.9	74.9	74.9
HA (DEG)	67.4	67.4	67.4	67.4
TT (MM)	578	601	624	650
REACH (MM)	424	444	464	484
CS (MM)	424	424	424	424
WB (MM)	1137	1160	1184	1210
BBH (MM)	343	343	343	343
SOH (MM)	705	715	728	742
STACK (MM)	597	607	615	628
HT (MM)	105	115	125	140
SIZING (CM)	152-171	169-180	178-187	185-193

TROY



LO	S	M	L	XL
ST (MM)	410	435	470	500
SA (DEG)	74.5	74.5	74.5	74.5
HA (DEG)	67	67	67	67
TT (MM)	579	602	626	651
REACH (MM)	420	440	460	480
CS (MM)	426	426	426	426
WB (MM)	1138	1162	1186	1211
BBH (MM)	338	338	338	338
SOH (MM)	699	709	722	736
STACK (MM)	599	609	618	632
HT (MM)	105	115	125	140
SIZING (CM)	152-171	169-180	178-187	185-193

HI	S	M	L	XL
ST (MM)	410	435	470	500
SA (DEG)	74.9	74.9	74.9	74.9
HA (DEG)	67.4	67.4	67.4	67.4
TT (MM)	578	601	624	650
REACH (MM)	424	444	464	484
CS (MM)	424	424	424	424
WB (MM)	1137	1160	1184	1210
BBH (MM)	343	343	343	343
SOH (MM)	705	715	728	742
STACK (MM)	597	607	615	628
HT (MM)	105	115	125	140
SIZING (CM)	152-171	169-180	178-187	185-193

DJANGO CARBON 29



LO	S	M	L	XL
ST (MM)	410	435	470	500
SA (DEG)	74.5	74.5	74.5	74.5
HA (DEG)	68	68	68	68
TT (MM)	582	602	626	649
REACH (MM)	420	440	460	480
CS (MM)	434	434	434	434
WB (MM)	1142	1162	1186	1210
BBH (MM)	336	336	336	336
SOH (MM)	717	730	748	755
STACK (MM)	619	619.5	628	638
HT (MM)	105	105	115	125
SIZING (CM)	152-171	169-180	178-187	185-193

HI	S	M	L	XL
ST (MM)	410	435	470	500
SA (DEG)	75	75	75	75
HA (DEG)	68.5	68.5	68.5	68.5
TT (MM)	581	601	625	648
REACH (MM)	424	444	464	484
CS (MM)	432	432	432	432
WB (MM)	1140	1161	1185	1209
BBH (MM)	341	341	341	341
SOH (MM)	723	736	754	761
STACK (MM)	617	617.5	626	636
HT (MM)	105	105	115	125
SIZING (CM)	152-171	169-180	178-187	185-193

MARSHALL



LO	S	M	L	XL
ST (MM)	410	435	470	500
SA (DEG)	74.8	74.8	74.8	74.8
HA (DEG)	67.3	67.3	67.3	67.3
TT (MM)	578	602	625	650
REACH (MM)	424	444	464	484
CS (MM)	435	435	435	435
WB (MM)	1150	1174	1197	1223
BBH (MM)	336	336	336	336
SOH (MM)	696	706	719	733
STACK (MM)	597	606	616	629
HT (MM)	105	115	125	140
SIZING (CM)	152-171	169-180	178-187	185-193

HI	S	M	L	XL
ST (MM)	410	435	470	500
SA (DEG)	75.2	75.2	75.2	75.2
HA (DEG)	67.7	67.7	67.7	67.7
TT (MM)	577	600	623	649
REACH (MM)	428	448	468	488
CS (MM)	433	433	433	433
WB (MM)	1148	1172	1195	1221
BBH (MM)	343	343	343	343
SOH (MM)	702	712	725	739
STACK (MM)	601	607	620	633
HT (MM)	105	115	125	140
SIZING (CM)	152-171	169-180	178-187	185-193

DJANGO CARBON 27,5



LO	S	M	L	XL
ST (MM)	410	435	470	500
SA (DEG)	74.5	74.5	74.5	74.5
HA (DEG)	67.5	67.5	67.5	67.5
TT (MM)	575	598	622	647
REACH (MM)	420	440	460	480
CS (MM)	427	427	427	427
WB (MM)	1128	1151	1175	1201
BBH (MM)	334	334	334	334
SOH (MM)	698	710	728	739
STACK (MM)	588	597	606	620
HT (MM)	105	115	125	140
SIZING (CM)	152-171	169-180	178-187	185-193

HI	S	M	L	XL
ST (MM)	410	435	470	500
SA (DEG)	75	75	75	75
HA (DEG)	68	68	68	68
TT (MM)	574	597	620	645
REACH (MM)	425	444	468	484
CS (MM)	425	425	425	425
WB (MM)	1126	1150	1174	1200
BBH (MM)	340	340	340	340
SOH (MM)	704	716	734	745
STACK (MM)	584	593	602	616
HT (MM)	105	115	125	140
SIZING (CM)	152-171	169-180	178-187	185-193

DJANGO 29



LO	S	M	L	XL
ST (MM)	410	435	470	500
SA (DEG)	74.5	74.5	74.5	74.5
HA (DEG)	68	68	68	68
TT (MM)	582	602	626	649
REACH (MM)	420	440	460	480
CS (MM)	434	434	434	434
WB (MM)	1142	1162	1186	1210
BBH (MM)	336	336	336	336
SOH (MM)	717	730	748	755
STACK (MM)	619	619.5	628	638
HT (MM)	105	105	115	125
SIZING (CM)	152-171	169-180	178-187	185-193

HI	S	M	L	XL
ST (MM)	410	435	470	500
SA (DEG)	75	75	75	75
HA (DEG)	68.5	68.5	68.5	68.5
TT (MM)	581	601	625	648
REACH (MM)	424	444	464	484
CS (MM)	432	432	432	432
WB (MM)	1140	1161	1185	1209
BBH (MM)	341	341	341	341
SOH (MM)	723	736	754	761
STACK (MM)	617	617.5	626	636
HT (MM)	105	105	115	125
SIZING (CM)	152-171	169-180	178-187	185-193

MINUS



LO	S	M	L
ST (MM)	400	435	470
SA (DEG)	73	73	73
HA (DEG)	70	70	70
TT (MM)	575	600	625
REACH (MM)	395	417.5	440
CS (MM)	455	455	455
WB (MM)	1092	1117	1143
BBH (MM)	321	321	321
SOH (MM)	688	714	742
STACK (MM)	588	597	607
HT (MM)	100	110	120
SIZING (CM)	157-170	168-180	178-187

KOBAIN



LO	S	M	L	XL
ST (MM)	405	430	470	500
SA (DEG)	73.0	73.0	73.0	73.0
HA (DEG)	67	67	67	67
TT (MM)	590	610	630	650
REACH (MM)	402	422	440	458
CS (MM)	430	430	430	430
WB (MM)	1124	1144	1165	1186
BBH (MM)	315	315	315	315
SOH (MM)	728	751	776	804
STACK (MM)	615	615	620	629
HT (MM)	105	105	110	120
SIZING (CM)	152-171	169-180	178-187	185-193

DJANGO 27,5



LO	S	M	L	XL
ST (MM)	410	435	470	500
SA (DEG)	74.5	74.5	74.5	74.5
HA (DEG)	67.5	67.5	67.5	67.5
TT (MM)	575	598.9	622	647
REACH (MM)	420	440	460	480
CS (MM)	427	427	427	427
WB (MM)	1128	1151.9	1175	1201.5
BBH (MM)	334	334.5	334	334.5
SOH (MM)	698	999	728	999
STACK (MM)	588	597.4	606	620.4
HT (MM)	105	115	125	140
SIZING (CM)	152-171	169-180	178-187	185-193

HI	S	M	L	XL
ST (MM)	410	435	470	500
SA (DEG)	75	75	75	75
HA (DEG)	68	68	68	68
TT (MM)	574	597	620	645
REACH (MM)	425	444	468	484
CS (MM)	425.2	425	425	425
WB (MM)	1126.8	1150	1174	1200
BBH (MM)	340.3	340	340	340
SOH (MM)	999	716	734	745
STACK (MM)	584.6	593	602	616
HT (MM)	105	115	125	140
SIZING (CM)	152-171	169-180	178-187	185-193

MARSHALL CARBON



LO	S	M	L	XL
ST (MM)	410	435	470	500
SA (DEG)	74.8	74.8	74.8	74.8
HA (DEG)	67.3	67.3	67.3	67.3
TT (MM)	578	602	625	650
REACH (MM)	424	444	464	484
CS (MM)	435	435	435	435
WB (MM)	1150	1174	1197	1223
BBH (MM)	336	336	336	336
SOH (MM)	708	718	732	745
STACK (MM)	597	606	616	629
HT (MM)	105	115	125	140
SIZING (CM)	152-171	169-180	178-187	185-193

HI	S	M	L	XL
ST (MM)	410	435	470	500
SA (DEG)	75.2	75.2	75.2	75.2
HA (DEG)	67.7	67.7	67.7	67.7
TT (MM)	577	600	623	649
REACH (MM)	428	448	468	488
CS (MM)	433	433	433	433
WB (MM)	1148	1172	1195	1221
BBH (MM)	343	343	343	343
SOH (MM)	714	724	737	751
STACK (MM)	601	607	620	633
HT (MM)	105	115	125	140
SIZING (CM)	152-171	169-180	178-187	185-193

E-GRIFFIN



	OS
ST (MM)	440
SA (DEG)	70.5
HA (DEG)	70
TT (MM)	605
REACH (MM)	402
CS (MM)	465
WB (MM)	1093
BBH (MM)	275
SOH (MM)	N/A
STACK (MM)	672
HT (MM)	140
SIZING (CM)	ONE_SIZE