

SNOW BIKE TRACTION TRAIL SPOT

Born where snowdrifts and driveway shovels come standard, the Devinci Minus comes equipped with a mega-footprint and a 1X drivetrain for exploring a wintry mix of untapped opportunity. Wake up to Arctic forecasts and hit the hills to lap fresh singletrack. Charge slick berms like a bobsled on wheels thanks to hardworking aluminum frame tech that bolsters strength, handling, and response. And harness all the fun of off-piste

missions, with low stand-over geometry for great stability. Charge into winter with a Minus—and add an excuse-free fourth season to your stacked biking lineup.

MINUS RS



FRAME AND FORK	ALUMINUM OPTIMUM G02	TIRES	VEETIRE BULLDOZER 26X4.7
SHIFTER	SHIMANO DEORE M610	CASSETTE	SHIMANO 10S 11-36T
TRANSMISSION	SHIMANO XT M786 SHADOW+	SADDLE	V2 PRO
CRANKSET	SAMOX 24T	HANDLEBAR	V2 COMP RISERBAR 31.8MM*720MM
BRAKES	AVID BB5 MECHANICAL	STEM	V2 PRO 31.8MM
RIMS	V2 COMP DB 100MM	SEATPOST	V2 COMP 31.6MM

FORMULA DISC FATBIKE

HUBS

MINUS S



FRAME AND FORK	ALUMINUM OPTIMUM G02	TIRES	VEETIRE BULLDOZER 26X4.7
SHIFTER	SHIMANO SL-M370	CASSETTE	SHIMANO 9S 12-36T
TRANSMISSION	SHIMANO ALTUS M370	SADDLE	V2 PRO
CRANKSET	CHUAN WEI 24T	HANDLEBAR	V2 COMP RISERBAR 31.8MM*720MM
BRAKES	TEKTRO MD-M280 MECHANICAL	STEM	V2 PRO 31.8MM
RIMS	V2 COMP DB 100MM	SEATPOST	V2 COMP 31.6MM

HUBS FORMULA DISC FATBIKE

GEOMETRY

Minus	Small	Medium	Large
ST (MM)	400	435	470
SA (DEG)	73	73	73
HA (DEG)	70	70	70
TT (MM)	575	600	625
REACH (MM)	395	417.5	440
CS (MM)	455	455	455
WB (MM)	1092	1117	1143
BBH (MM)	321	321	321
SOH (MM)	688	714	742
STACK (MM)	588	597	607
HT (MM)	100	110	120
*SIZING (CM)	157-170	168-180	178-187

*The perfect fit

Please note that only Devinci authorized retailers are able to advise you properly on the correct bike size. Please visit your nearest store so they can analyze your needs. In the case of internet shopping, it is equally important to provide the necessary measurements (e.g. inseam length) so that the retailer can give you the correct information.